:: INFRASTRUCTURE-DIAGRAMS

## EXAMPLES

:: TABLE OF CONTENT

1. LOCAL TRADESIGNAL DATACONNECT INSTALLATION WITH ALL POSSIBLE DATA FEEDS

Local Bloomberg installation

Tradesignal client

↕

Tradesignal DataConnect

↕

Bloomberg

Thomson Reuters

Trayport

Tradesignal OpenConnect

2. TRADESIGNAL CLIENTS WITH THOMSON REUTERS INFRASTRUCTURE

```
Tradesignal client  ←DACS check→  Tradesignal DataConnect  ←DACS check→  Reuters Host
                                                             Port 8211     Reuters DACS Daemon
```

3. LOCAL TRADESIGNAL DATACONNECT WITH BLOOMBERG AND TRADESIGNAL DATACONNECT LICENSE SERVER

The Tradesignal DataConnect License Server is providing the local Bloomberg Tradesignal DataConnect installations with the proper licenses via remote licensing, rather than having licenses on each Bloomberg Tradesignal DataConnect installation.

# 4. LOCAL TRADESIGNAL DATACONNECT WITH BLOOMBERG AND DEDICATED TRAYPORT

The Tradesignal clients got access to Bloomberg and to the dedicated Trayport Tradesignal DataConnect, which is also providing the local Bloomberg Tradesignal DataConnect installations with the proper licenses via remote licensing, rather than having licenses on each Bloomberg Tradesignal DataConnect installation.

5. REUTERS WITH TRAYPORT INCL. FAILOVER SYSTEMS AND ADDITIONAL OPENCONNECT

Tradesignal clients

Master Cluster 1

Tradesignal DataConnect

Tradesignal DataConnect Failover

Slave Cluster 1

Tradesignal DataConnect

Tradesignal DataConnect Failover

Tradesignal OpenConnect

Thomson Reuters

Trayport

Inhouse Data feed

6. DEDICATED SYSTEM WITH FAILOVER

7. TRADESIGNAL CLIENT WITH TELETRADER DATAFEED